

Cambridge Academy of Austell

1831 Veteran Memorial Hwy
Austell, GA

4 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Feb 6, 2026

● 5 Important

Across 4 inspections since 2024, the issues cited most often were 591-1-1-.26(4) Requires That Playgrounds Be Protected From Traffic or Other Hazards by a (4) Four Foot High Fence or Other Barrier Approved by This Department. Fencing Material Shall Not Present a Hazard to Children and Shall Be Maintained So as to Prevent Children From Leaving the Playground Area by Any Means Other Than Through an Approved Access Route. Fence Gates Shall Be Kept Closed Except Whe (2), 591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation That in Classroom A Upstairs Pre-K a Toilet Bowl Brush and Plunger Were Left Adjacent to the Toilet in the Children's Bathroom. Additionally, the Cabinet in the Bathroom Under the Sink Was Left Unlocked Leaving a Clorox To (1), and 591-1-1-.08(2) Requires Center Staff to Maintain a File for Each Child That Includes Evidence of Age-appropriate Immunizations or a Signed Affidavit Against Such Immunizations for Each Child Enrolled in the Center on a Form Approved by the Department, and to Allow No Child to Continue Enrollment in the Center for More Than Thirty (30) Days Without Such Evidence. It Was Determined Based on an Inves (1). None of the 5 findings were critical.

Inspection Visits

Feb 6, 2026 1 Finding ● 1 Important

- **591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation That in Classroom A Upstairs Pre-K a Toilet Bowl Brush and Plunger Were Left Adjacent to the Toilet in the Children's Bathroom. Additionally, the Cabinet in the Bathroom Under the Sink Was Left Unlocked Leaving a Clorox To**
591-1-1-.25

Oct 9, 2025 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **591-1-1-.26(4) Requires That Playgrounds Be Protected From Traffic or Other Hazards by a (4) Four Foot High Fence or Other Barrier Approved by This Department. Fencing Material Shall Not Present a Hazard to Children and Shall Be Maintained So as to Prevent Children From Leaving the Playground Area by Any Means Other Than Through an Approved Access Route. Fence Gates Shall Be Kept Closed Except Whe**

591-1-1-.26

Jun 23, 2025 1 Finding ● 1 Important

- **591-1-1-.08(2) Requires Center Staff to Maintain a File for Each Child That Includes Evidence of Age-appropriate Immunizations or a Signed Affidavit Against Such Immunizations for Each Child Enrolled in the Center on a Form Approved by the Department, and to Allow No Child to Continue Enrollment in the Center for More Than Thirty (30) Days Without Such Evidence. It Was Determined Based on an Inves**

591-1-1-.08

Nov 6, 2024 2 Findings ● 2 Important

- **591-1-1-.14(2) Requires a Staff Member Who Is Trained in CPR and First Aid to Be on the Premises and on Any Field Trip Whenever Any Child Is Present. In Addition, Staff Who Provide Direct Care to Children Must Satisfactorily Obtain Certification in First Aid and CPR by December 29, 2016 if Employed Prior to September 30, 2016 and Within 90 Days of Their Hire Date if Employed After September 30, 20**

591-1-1-.14

- **591-1-1-.26(4) Requires That Playgrounds Be Protected From Traffic or Other Hazards by a (4) Four Foot High Fence or Other Barrier Approved by This Department. Fencing Material Shall Not Present a Hazard to Children and Shall Be Maintained So as to Prevent Children From Leaving the Playground Area by Any Means Other Than Through an Approved Access Route. Fence Gates Shall Be Kept Closed Except Whe**

591-1-1-.26

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.