

Byron Head Start

104 Jackson Street
Byron, GA

2 Inspection Visits Since 2025 · 2 Findings

Most recent inspection: Mar 3, 2026

● 2 Important

Across 2 inspections since 2025, the issues cited most often were 591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation That in the Front Left Classroom in and Ulocked Drawer of the Cabinet on the Left Side the Following Hazards Were Accessible: Hole Puncher Four Batteries Thumb Tacks Stapler Remover Toothpicks (2). None of the 2 findings were critical.

Inspection Visits

Mar 3, 2026 1 Finding ● 1 Important

- **591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation That in the Front Left Classroom in and Ulocked Drawer of the Cabinet on the Left Side the Following Hazards Were Accessible: Hole Puncher Four Batteries Thumb Tacks Stapler Remover Toothpicks**

591-1-1-.25

Jan 15, 2025 1 Finding ● 1 Important

- **591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation That the Following Hazards Were Accessible to Children in Care: Front Left: -Plastic Bags, Battery, Three Staplers, and Toothpaste That Read "Keep Pit of Reach of Children" in Unlocked Drawers of the Gray Wooden Cabinet Ba**

591-1-1-.25

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.