

Haygood Teresa G

284 FRED KING ROAD
Hartwell, GA

3 Inspection Visits Since 2025 · 3 Findings

Most recent inspection: Feb 19, 2026

● 3 Important

Across 3 inspections since 2025, the issues cited most often were 290-2-3-.11(2)(h) Requires at Least One UL Approved Smoke Detector to Be on Each Floor of the Home and Such Detectors to Be Maintained in Working Order. At Least One 2-A:10-B:C Fire Extinguisher Shall Be Kept in the Child Care Area to Be Located No More Than Thirty Feet From the Kitchen. The Extinguisher Shall Be Maintained in Working Order and Shall Be Inaccessible to the Children. It Was Determi (1), 290-2-3-.08(1) Requires the Home to Have a Current and Updated Record for Each Child in Care and for a Period of One (1) Year After Each Child Leaves. Such Records Shall Include: Identifying Information (Child's Name, Birth Date, Parent's Name, Home and Business Addresses, Telephone Numbers) (1), and 290-2-3-.19(2)(c) Requires That Infants Shall Only Sleep in a Safety Approved Crib or Other Equipment Approved for Infant Sleep as Described in 290-2-3-.19(1)(a) and Shall Not Sleep in Any Other Equipment, Such As, but Not Limited To, a Car Safety Seat, Bouncy Seat, Highchair, or Swing. Infants Who Arrive at the Facility Asleep or Fall Asleep in Such Equipment or on the Floor Shall Be Transferred (1). None of the 3 findings were critical.

Inspection Visits

Feb 19, 2026 1 Finding ● 1 Important

- **290-2-3-.11(2)(h) Requires at Least One UL Approved Smoke Detector to Be on Each Floor of the Home and Such Detectors to Be Maintained in Working Order. At Least One 2-A:10-B:C Fire Extinguisher Shall Be Kept in the Child Care Area to Be Located No More Than Thirty Feet From the Kitchen. The Extinguisher Shall Be Maintained in Working Order and Shall Be Inaccessible to the Children. It Was Determi**

290-2-3-.11

Sep 25, 2025 1 Finding ● 1 Important

- **290-2-3-.08(1) Requires the Home to Have a Current and Updated Record for Each Child in Care and for a Period of One (1) Year After Each Child Leaves. Such Records Shall Include: Identifying Information (Child's Name, Birth Date, Parent's Name, Home and Business Addresses, Telephone Numbers)**

290-2-3-.08

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

Jun 18, 2025 1 Finding ● 1 Important

- **290-2-3-.19(2)(c) Requires That Infants Shall Only Sleep in a Safety Approved Crib or Other Equipment Approved for Infant Sleep as Described in 290-2-3-.19(1)(a) and Shall Not Sleep in Any Other Equipment, Such As, but Not Limited To, a Car Safety Seat, Bouncy Seat, Highchair, or Swing. Infants Who Arrive at the Facility Asleep or Fall Asleep in Such Equipment or on the Floor Shall Be Transferred**

290-2-3-.19

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.