

Joyful Praise Academy

2965 Holcomb Bridge Rd Building C
Alpharetta, GA

3 Inspection Visits Since 2023 · 5 Findings

Most recent inspection: Feb 24, 2025

● 5 Important

Across 3 inspections since 2023, the issues cited most often were 591-1-1-.25(12) Requires Heating and Cooling Equipment to Be Protected to Prevent Children From Touching It. Fans, Space Heaters, Etc. Shall Be Positioned or Installed So as to Be Inaccessible to the Children. It Was Determined Based on Observation That Classrooms A and C Had Space Heating Equipment Accessible to the Children on This Date. (2), 591-1-1-.26(8) Requires Climbing and Swinging Equipment to Have a Resilient Surface Beneath the Equipment and the Fall Zone From Such Equipment Must Be Adequately Maintained by the Center to Assure Continuing Resiliency. It Was Determined Based on Observation That the Preschool Playground Had Zero Resilient Surface in Fall Zones Near the Green and Yellow Climbing Structure and Slides. Georgia Depa (1), and Paperwork, Checklist, Permission Forms, Annual Inspection Form and Proper Check of the Vehicle After Transportation Were Discussed with the Director. Comment The Consultant Could Not Observe the Vehicle, the Vehicle's Fire Extinguisher, or the First Aid Kit Due to the Summer Camp Being on a Field Trip. Finding 591-1-1-.36(4)(a) Requires an Annual Safety Check for Each Vehicle. The Annual Safety Ch (1). None of the 5 findings were critical.

Inspection Visits

Feb 24, 2025 2 Findings ● 2 Important

- **591-1-1-.25(12) Requires Heating and Cooling Equipment to Be Protected to Prevent Children From Touching It. Fans, Space Heaters, Etc. Shall Be Positioned or Installed So as to Be Inaccessible to the Children. It Was Determined Based on Observation That Classrooms A and C Had Space Heating Equipment Accessible to the Children on This Date.**

591-1-1-.25

- **591-1-1-.26(8) Requires Climbing and Swinging Equipment to Have a Resilient Surface Beneath the Equipment and the Fall Zone From Such Equipment Must Be Adequately Maintained by the Center to Assure Continuing Resiliency. It Was Determined Based on Observation That the Preschool Playground Had Zero Resilient Surface in Fall Zones Near the Green and Yellow Climbing Structure and Slides.**

Georgia Depa

591-1-1-.26

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

Jul 10, 2024 2 Findings 2 Important

- **591-1-1-.32(2) Requires the Center Maintain Staff:child Ratios in Mixed-age Groups Based on the Age of the Youngest Group of Children That Includes More Than Twenty Percent of the Total Number of Children in the Mixed- Age Group. It Was Determined Based on Observation in Classroom F During Naptime, That There Were Six Two- Year-olds, Three Five-year-olds, and One Four-year-olds, Which Is Not Compl**
591-1-1-.32
- **Paperwork, Checklist, Permission Forms, Annual Inspection Form and Proper Check of the Vehicle After Transportation Were Discussed with the Director. Comment The Consultant Could Not Observe the Vehicle, the Vehicle's Fire Extinguisher, or the First Aid Kit Due to the Summer Camp Being on a Field Trip. Finding 591-1-1-.36(4)(a) Requires an Annual Safety Check for Each Vehicle. The Annual Safety Ch**
591-1-1-.36

Jul 19, 2023 1 Finding 1 Important

- **591-1-1-.25(8) Requires Protective Caps on All Unused Electrical Outlets Within Children's Reach and Requires That Electrical Outlets in Use Be Made Inaccessible to Children. It Was Determined Based on Observation, an Outlet Cover in the Hallway Was Observed Missing Protective Caps.**
591-1-1-.25

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.