

Clark Debbian J

1343 E. FAYETTEVILLE ROAD
Riverdale, GA

4 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Mar 4, 2026

● 5 Important

Across 4 inspections since 2024, the issues cited most often were 290-2-3-.07(8)(b) Requires the Provider, a Provisional Employee or Employee with Current Evidence of Successful Completion of Pediatric Cardiopulmonary Resuscitation (CPR) and Pediatric First Aid Must Always Be on the Home's Premises Whenever Any Child Is Present. It Was Determined Based on a Review of Records That the Provider Had an Expired Cardiopulmonary Resuscitation (CPR) and Pediatric First (2), 290-2-3-.13(2)(d) Requires That Outside Play Areas Be Protected From Traffic or Other Hazards by Fencing or Other Barriers at Least Four Feet in Height and Approved by the Department. Fencing Material Shall Not Present a Hazard to Children. A Fence Shall Be Provided Around Swimming Pools to Make Them Inaccessible When Not in Use. It Was Determined Based on Observation That the Playground Area Loca (2), and 290-2-3-.11(1)(f) Requires Diapers to Be Changed in the Child's Own Crib or on a Nonporous Surface Which Is Cleaned with a Disinfectant and Dried with a Single Use Disposable Towel After Each Diaper Change. It Was Determined Based on Observation That the Provider Did Not Sanitize the Changing Table Between Diapering. (1). None of the 5 findings were critical.

Inspection Visits

Mar 4, 2026 1 Finding ● 1 Important

- **290-2-3-.07(8)(b) Requires the Provider, a Provisional Employee or Employee with Current Evidence of Successful Completion of Pediatric Cardiopulmonary Resuscitation (CPR) and Pediatric First Aid Must Always Be on the Home's Premises Whenever Any Child Is Present. It Was Determined Based on a Review of Records That the Provider Had an Expired Cardiopulmonary Resuscitation (CPR) and Pediatric First**

290-2-3-.07

Sep 4, 2025 1 Finding ● 1 Important

- **290-2-3-.07(8)(b) Requires the Provider, a Provisional Employee or Employee with Current Evidence of Successful Completion of Pediatric Cardiopulmonary Resuscitation (CPR) and Pediatric First Aid Must Always Be on the Home's Premises Whenever Any Child Is Present. It Was Determined Based on a Review of Records That the Provider Had an Expired Cardiopulmonary Resuscitation (CPR) and Pediatric First**

290-2-3-.07

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

May 23, 2025 1 Finding ● 1 Important

- **290-2-3-.13(2)(d) Requires That Outside Play Areas Be Protected From Traffic or Other Hazards by Fencing or Other Barriers at Least Four Feet in Height and Approved by the Department. Fencing Material Shall Not Present a Hazard to Children. A Fence Shall Be Provided Around Swimming Pools to Make Them Inaccessible When Not in Use. It Was Determined Based on Observation That the Playground Area Loca**
290-2-3-.13

Aug 1, 2024 2 Findings ● 2 Important

- **290-2-3-.11(1)(f) Requires Diapers to Be Changed in the Child's Own Crib or on a Nonporous Surface Which Is Cleaned with a Disinfectant and Dried with a Single Use Disposable Towel After Each Diaper Change. It Was Determined Based on Observation That the Provider Did Not Sanitize the Changing Table Between Diapering.**
290-2-3-.11
- **290-2-3-.13(2)(d) Requires That Outside Play Areas Be Protected From Traffic or Other Hazards by Fencing or Other Barriers at Least Four Feet in Height and Approved by the Department. Fencing Material Shall Not Present a Hazard to Children. A Fence Shall Be Provided Around Swimming Pools to Make Them Inaccessible When Not in Use. It Was Determined Based on Observation That the Playground Area Loca**
290-2-3-.13

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.