

Kelley House Kids

25 Pine Hill Circle
Camilla, GA

3 Inspection Visits Since 2024 · 4 Findings

Most recent inspection: Mar 12, 2026

● 4 Important

Across 3 inspections since 2024, the issues cited most often were 591-1-1-.26(8) Requires Climbing and Swinging Equipment to Have a Resilient Surface Beneath the Equipment and the Fall Zone From Such Equipment Must Be Adequately Maintained by the Center to Assure Continuing Resiliency. It Was Determined Based on Observation the Green Slide Measured 3 Feet, 37 1/2 Inches Tall and Had an Inadequate Amount of Resilient Surface, Less Than 0 Inches at the Base of The (1), 591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation That There Was Broom, Dustpan, and Vacuum Leaning Against the Wall Near the Left Side of the High Chairs. Additionally, on a Desk Were Two Bottles of Prescription Medication All Accessible to Children That Posed a Health A (1), and 591-1-1-.30(1)(b)1 Requires That Cots and Mats Are of Sound Construction and of Sufficient Size to Accommodate Comfortably the Size and Weight of the Child (1). None of the 4 findings were critical.

Inspection Visits

Mar 12, 2026 1 Finding ● 1 Important

- **591-1-1-.26(8) Requires Climbing and Swinging Equipment to Have a Resilient Surface Beneath the Equipment and the Fall Zone From Such Equipment Must Be Adequately Maintained by the Center to Assure Continuing Resiliency. It Was Determined Based on Observation the Green Slide Measured 3 Feet, 37 1/2 Inches Tall and Had an Inadequate Amount of Resilient Surface, Less Than 0 Inches at the Base of The**

591-1-1-.26

May 20, 2025 2 Findings ● 2 Important

- **591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation That There Was Broom, Dustpan, and Vacuum Leaning Against the Wall Near the Left Side of the High Chairs. Additionally, on a Desk Were Two Bottles of Prescription Medication All Accessible to Children That Posed a Health A**

591-1-1-.25

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **591-1-1-.30(1)(b)1 Requires That Cots and Mats Are of Sound Construction and of Sufficient Size to Accommodate Comfortably the Size and Weight of the Child**

591-1-1-.30

Oct 17, 2024 1 Finding ● 1 Important

- **591-1-1-.03(2) Requires the Center to Keep Current Lesson Plans on Site That Reflect Appropriate Instruction Practices and Activities to Support Children's Development The Center Shall Have Sufficient and Varied Play and Learning Equipment and Materials to Support the Above Program of Activities in All Developmental Areas. It Was Determined Based on Observation That the Center Did Not Have Evidenc**

591-1-1-.03

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.