

Busy Bees Learning Academy

5119 Wrightsboro Road
Grovetown, GA

1 Inspection Visit Since 2026 · 5 Findings

Most recent inspection: Jan 27, 2026

● 5 Important

Across 1 inspection since 2026, the issues cited most often were 591-1-1-.08(1) Requires the Center Staff to Maintain a File for Each Child While Such Child Is in Care and for One Year After That Child Is No Longer Enrolled. In Order for the File to Be Complete, the File Shall Contain the Following: Child's Name, Birth Date, Sex, Address, Living Arrangement, Name of School if Applicable (1), 591-1-1-.26(4) Requires That Playgrounds Be Protected From Traffic or Other Hazards by a (4) Four Foot High Fence or Other Barrier Approved by This Department. Fencing Material Shall Not Present a Hazard to Children and Shall Be Maintained So as to Prevent Children From Leaving the Playground Area by Any Means Other Than Through an Approved Access Route. Fence Gates Shall Be Kept Closed Except Whe (1), and Discussed SIDS and Infant Sleeping Position. Comment The Correct Number of Mats, Sheets and Blankets Were Observed on This Date. Cleaning and Disinfecting of Mats Was Discussed with the Director on This Date. Finding 591-1-1-.30(1)(a) Requires a Crib That Is Safety Approved in Compliance with Consumer Product Safety Commission (CPSC) and American Society of Testing and Materials International (AST (1). None of the 5 findings were critical.

Inspection Visits

Jan 27, 2026 5 Findings ● 5 Important

- **591-1-1-.08(1) Requires the Center Staff to Maintain a File for Each Child While Such Child Is in Care and for One Year After That Child Is No Longer Enrolled. In Order for the File to Be Complete, the File Shall Contain the Following: Child's Name, Birth Date, Sex, Address, Living Arrangement, Name of School if Applicable**

591-1-1-.08

- **591-1-1-.14(2)(b) Requires That There Must Always Be One Staff Person Present in Each Classroom Where Children Are Present That Has Current and Valid Pediatric Cardiopulmonary Resuscitation (CPR) and Pediatric First Aid Training. It Was Determined Based on Review of Records That the Teacher in Classroom D Did Not Have Current CPR and First Aid Training.**

591-1-1-.14

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **591-1-1-.26(4) Requires That Playgrounds Be Protected From Traffic or Other Hazards by a (4) Four Foot High Fence or Other Barrier Approved by This Department. Fencing Material Shall Not Present a Hazard to Children and Shall Be Maintained So as to Prevent Children From Leaving the Playground Area by Any Means Other Than Through an Approved Access Route. Fence Gates Shall Be Kept Closed Except Whe**

591-1-1-.26

- **Discussed SIDS and Infant Sleeping Position. Comment The Correct Number of Mats, Sheets and Blankets Were Observed on This Date. Cleaning and Disinfecting of Mats Was Discussed with the Director on This Date. Finding 591-1-1-.30(1)(a) Requires a Crib That Is Safety Approved in Compliance with Consumer Product Safety Commission (CPSC) and American Society of Testing and Materials International (AST**

591-1-1-.30

- **591-1-1-.31(1)(b)2 Requires the Director to Possess at Least One of the Sets of Minimum Academic Requirements and Qualifying Child Care Experience Listed in Rule 591-1-1-.31(1)(b)2.(i-xiii). It Was Determined Based on Review of Records That the Director's CDA Had Expired.**

591-1-1-.31

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.