

KinderCare Learning Center #404

2865 Buford Hwy. NE
Atlanta, GA

2 Inspection Visits Since 2025 - 5 Findings

Most recent inspection: May 21, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were 591-1-1-.25(3) Requires the Center and Surrounding Premises to Be Kept Clean, Free of Debris and in Good Repair. Hygienic Measures Such As, but Not Limited To, Screened Windows and Proper Waste Disposal Procedures Shall Be Utilized to Minimize the Presence of Rodents, Flies, Roaches and Other Vermin at the Center. It Was Determined Based on Observation That the Ceiling Tile in the PreK 2 Bathroom (2), 591-1-1-.12(2) Requires That All Equipment and Furniture Be Free From Hazardous Conditions Such As, but Not Limited To, Sharp Rough Edges or Toxic Paint (1), and 591-1-1-.08(1) Requires the Center Staff to Maintain a File for Each Child While Such Child Is in Care and for One Year After That Child Is No Longer Enrolled. In Order for the File to Be Complete, the File Shall Contain the Following: Child's Name, Birth Date, Sex, Address, Living Arrangement, Name of School if Applicable (1). None of the 5 findings were critical.

Inspection Visits

May 21, 2026 4 Findings ● 4 Important

- **591-1-1-.08(1) Requires the Center Staff to Maintain a File for Each Child While Such Child Is in Care and for One Year After That Child Is No Longer Enrolled. In Order for the File to Be Complete, the File Shall Contain the Following: Child's Name, Birth Date, Sex, Address, Living Arrangement, Name of School if Applicable**

591-1-1-.08

- **591-1-1-.12(2) Requires That All Equipment and Furniture Be Free From Hazardous Conditions Such As, but Not Limited To, Sharp Rough Edges or Toxic Paint**

591-1-1-.12

- **591-1-1-.14(1)(a) Requires All Staff Who Provide Direct Care to Children Must Obtain Certification in a Biennial Training Program in Pediatric Cardiopulmonary Resuscitation (CPR) and a Triennial Training Program in Pediatric First Aid Within the First 45 Days of Employment. Current and Valid Evidence of the Successful Completion of Such Training Shall Be Maintained on the Center's Premises. The Ho**

591-1-1-.14

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **591-1-1-.25(3) Requires the Center and Surrounding Premises to Be Kept Clean, Free of Debris and in Good Repair. Hygienic Measures Such As, but Not Limited To, Screened Windows and Proper Waste Disposal Procedures Shall Be Utilized to Minimize the Presence of Rodents, Flies, Roaches and Other Vermin at the Center. It Was Determined Based on Observation That the Ceiling Tile in the PreK 2 Bathroom**

591-1-1-.25

Apr 2, 2025 1 Finding ● 1 Important

- **591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation That There Were Two Bags of Potting Soil Stored on the Floor and Accessible to Children in Room 3L-PreK.**

591-1-1-.25

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.