

KinderCare Learning Center #5003

2725 Lawrenceville Suwanee Road
Suwanee, GA

3 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Apr 30, 2026

● 5 Important

Across 3 inspections since 2025, the issues cited most often were 591-1-1-.26(4) Requires That Playgrounds Be Protected From Traffic or Other Hazards by a (4) Four Foot High Fence or Other Barrier Approved by This Department. Fencing Material Shall Not Present a Hazard to Children and Shall Be Maintained So as to Prevent Children From Leaving the Playground Area by Any Means Other Than Through an Approved Access Route. Fence Gates Shall Be Kept Closed Except Whe (2), 591-1-1-.12(2) Requires That All Equipment and Furniture Be Free From Hazardous Conditions Such As, but Not Limited To, Sharp Rough Edges or Toxic Paint (2), and 591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation That in Room D-3L Two-year-olds, There Is a Electrical Surge Protector Hanging and Accessible to Children Next to the Window. (1). None of the 5 findings were critical.

Inspection Visits

Apr 30, 2026 1 Finding ● 1 Important

- **591-1-1-.26(4) Requires That Playgrounds Be Protected From Traffic or Other Hazards by a (4) Four Foot High Fence or Other Barrier Approved by This Department. Fencing Material Shall Not Present a Hazard to Children and Shall Be Maintained So as to Prevent Children From Leaving the Playground Area by Any Means Other Than Through an Approved Access Route. Fence Gates Shall Be Kept Closed Except Whe**

591-1-1-.26

Nov 3, 2025 3 Findings ● 3 Important

- **591-1-1-.12(2) Requires That All Equipment and Furniture Be Free From Hazardous Conditions Such As, but Not Limited To, Sharp Rough Edges or Toxic Paint**

591-1-1-.12

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.

- **591-1-1-.25(13) Requires That Potentially Hazardous Equipment, Materials and Supplies Be Stored in a Locked Area Inaccessible to Children. It Was Determined Based on Observation That in Room D-3L Two-year-olds, There Is a Electrical Surge Protector Hanging and Accessible to Children Next to the Window.**

591-1-1-.25

- **591-1-1-.26(9) Requires the Playground to Be Kept Clean, Free From Litter and Free of Hazards, Such as but Not Limited to Rocks, Exposed Tree Roots and Exposed Sharp Edges of Concrete. It Was Determined Based on Observation That on the Back Right Preschool Playground the Down Spout From the Gutter Was Not Covered Leaving Sharp Edges Exposed at the Bottom, Easily Accessed to Children, That Were Haz**

591-1-1-.26

Apr 8, 2025 1 Finding ● 1 Important

- **591-1-1-.12(2) Requires That All Equipment and Furniture Be Free From Hazardous Conditions Such As, but Not Limited To, Sharp Rough Edges or Toxic Paint**

591-1-1-.12

About this report

Childery generates this report from public inspection records published by the Georgia Department of Early Care and Learning, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Georgia Department of Early Care and Learning, Child Care Services.