

Derric Wood

IN

2 Inspection Visits Since 2024 · 3 Findings

Most recent inspection: Mar 5, 2026

● 3 Important

Across 2 inspections since 2024, the issues cited most often were Current Universal Precautions Training Is Needed for the Licensee. (1), A Cleaning Product Labeled Keep Out of Reach of Kids Was Accessible Under the Bathroom Sink. Items Labeled Keep Out of Reach of Kids Were Accessible in the Basement. (1), and A Piece of the Outdoor Play Equipment in the Outdoor Fenced in Play Area Was Broken. Kitchen Shears Were Accessible Near the Kitchen Sink. (1). None of the 3 findings were critical.

Inspection Visits

Mar 5, 2026 1 Finding ● 1 Important

● **Current Universal Precautions Training Is Needed for the Licensee.**

The licensee shall maintain the following documentation in the child care home f

Mar 13, 2024 2 Findings ● 2 Important

● **A Cleaning Product Labeled Keep Out of Reach of Kids Was Accessible Under the Bathroom Sink. Items Labeled Keep Out of Reach of Kids Were Accessible in the Basement.**

Caregiver shall keep poisonous or hazardous materials that would harm children,

● **A Piece of the Outdoor Play Equipment in the Outdoor Fenced in Play Area Was Broken. Kitchen Shears Were Accessible Near the Kitchen Sink.**

The licensee shall ensure that no conditions exist in the home or on the grounds

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.