

KAY L SLIGH IN

2 Inspection Visits Since 2023 · 3 Findings

Most recent inspection: Jul 30, 2025

● 3 Important

Across 2 inspections since 2023, the issues cited most often were Home Missing Fire Drill Documentation. (1), Items Labeled "Keep Out of Reach of Children" Were Not Under Lock and Key/accessible to Children. (1), and Provider Did Not Have a First Aid Kit on Site. (1). None of the 3 findings were critical.

Inspection Visits

Jul 30, 2025 1 Finding ● 1 Important

● **Home Missing Fire Drill Documentation.**

The caregiver shall conduct and document quarterly fire drills

Aug 29, 2023 2 Findings ● 2 Important

● **Items Labeled "Keep Out of Reach of Children" Were Not Under Lock and Key/accessible to Children.**

Caregiver shall keep poisonous or hazardous materials that would harm children,

● **Provider Did Not Have a First Aid Kit on Site.**

The caregiver must maintain a first aid kit (as recommended by the American Red

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.