

Great Expectations

IN

1 Inspection Visit Since 2025 · 3 Findings

Most recent inspection: Oct 17, 2025

● 3 Important

Across 1 inspection since 2025, the issues cited most often were The Provider Is Opening a New Daycare and Needs a Current Physical. (1), The Provider Needs a Fire Extinguisher in Her Basement and Upstairs Area and the Main Area. She Has the Extra One in the Kitchen Area. (1), and The Provider Is Opening a New Daycare and Needs a Current Drug Test. (1). None of the 3 findings were critical.

Inspection Visits

Oct 17, 2025 3 Findings ● 3 Important

● **The Provider Is Opening a New Daycare and Needs a Current Drug Test.**

A child care home shall, at no expense to the state, maintain and make available

● **The Provider Is Opening a New Daycare and Needs a Current Physical.**

Direct child care providers who work in the home more than three (3) times a mon

● **The Provider Needs a Fire Extinguisher in Her Basement and Upstairs Area and the Main Area. She Has the Extra One in the Kitchen Area.**

Licensee shall provide a two and one-half (2) pound or greater ABC multiple purp

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.