

LEEZA'S CHILD CARE

IN

2 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Jun 2, 2025

● 5 Important

Across 2 inspections since 2024, the issues cited most often were Tall Cabinet in Bathroom Not Secure, Tipping Hazard. Needs Removed or Secured to the Wall. (1), First Aid Kit Only Contains Band-aids, No Other Items. (1), and Sunscreens and Diaper Creams in Tubs Under Changing Table, Accessible to Children. Keep Out of Reach of Children Items Need to Be Inaccessible. (1). None of the 5 findings were critical.

Inspection Visits

Jun 2, 2025

3 Findings

● 3 Important

● Sunscreens and Diaper Creams in Tubs Under Changing Table, Accessible to Children. Keep Out of Reach of Children Items Need to Be Inaccessible.

Caregiver shall keep poisonous or hazardous materials that would harm children,

● First Aid Kit Only Contains Band-aids, No Other Items.

The caregiver must maintain a first aid kit (as recommended by the American Red

● Tall Cabinet in Bathroom Not Secure, Tipping Hazard. Needs Removed or Secured to the Wall.

The licensee shall ensure that no conditions exist in the home or on the grounds

Jun 10, 2024

2 Findings

● 2 Important

● 5 Month Old Male Infant Sleeping in a Bouncy Seat with a Blanket When Consulatnt Arrived

Licensee shall provide a separate crib, portacrib, or playpen in which each infa

● Fire Extinguisher in Kitchen Is Expired

Licensee shall provide a two and one-half (2) pound or greater ABC multiple purp

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.