

Restoration Childcare & Preschool

3203 Washington Avenue
Bedford, IN

2 Inspection Visits Since 2024 · 2 Findings

Most recent inspection: Oct 24, 2025

● 2 Important

Across 2 inspections since 2024, the issues cited most often were In the 4-5 Yr Old Room (Room 5) Under Sink Was Dawn Dish Soap That Says Keep Out of Reach of Children and Was Within Reach and This Is Not Safe. (1) and In the One Year Old Room No Thermometer Was Present for Monitoring. (1). None of the 2 findings were critical.

Inspection Visits

Oct 24, 2025 1 Finding ● 1 Important

- In the 4-5 Yr Old Room (Room 5) Under Sink Was Dawn Dish Soap That Says Keep Out of Reach of Children and Was Within Reach and This Is Not Safe.

All interior surfaces, equipment, materials, furnishings, and objects with which

Oct 31, 2024 1 Finding ● 1 Important

- In the One Year Old Room No Thermometer Was Present for Monitoring.

Refrigerator and Freezers. Enough conveniently located refrigeration facilities

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.