

The Baby House

IN

1 Inspection Visit Since 2025 · 4 Findings

Most recent inspection: Apr 2, 2025

● 4 Important

Across 1 inspection since 2025, the issues cited most often were First Aid Missing for 1 Caregiver Present and Universal Precautions Missing for 2 Caregivers Present at Time of Visit. *Send Documentation. (2), Water Temperature Is 132 Degrees at Time of Visit. (1), and Fingerprint Receipt Missing for 1 Household Member and 1 Caregiver Working March 13, 2024 at Time of Visit. *Submit Thru I-Lead. (1). None of the 4 findings were critical.

Inspection Visits

Apr 2, 2025 4 Findings ● 4 Important

- **Fingerprint Receipt Missing for 1 Household Member and 1 Caregiver Working March 13, 2024 at Time of Visit. *Submit Thru I-Lead.**

An applicant must submit the necessary information, forms, or consents for the d

- **Water Temperature Is 132 Degrees at Time of Visit.**

The licensee shall ensure that no conditions exist in the home or on the grounds

- **First Aid Missing for 1 Caregiver Present and Universal Precautions Missing for 2 Caregivers Present at Time of Visit. *Send Documentation.**

The licensee shall maintain the following documentation in the child care home f

- **Consent/Background Check Missing for 1 Household Member and 1 Caregiver Working March 13, 2024 at Time of Visit. *Submit Thru I-Lead.**

The licensee shall maintain the following documentation in the child care home f

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.