

Childtime Learning Center

1169 N. State Rd. 267
Avon, IN

3 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Apr 17, 2026

● 5 Important

Across 3 inspections since 2025, the issues cited most often were Three Children Not Within Sight and Sound for Approx. 4 Minutes. Ratio During the Time Frame Was 3:0 Resulting in Program Being Out of Ratio. (1), Licensing Requested Video Footage for Complaint on 8/1/25. At Time of Complaint Visit on 8/7/25, Complaint Footage Was Not Accessible to Licensing. (1), and At Time of Complaint, Caregiver Reported That She Was Struggling to Stay Awake While Caring for Child. (1). None of the 5 findings were critical.

Inspection Visits

Apr 17, 2026 1 Finding ● 1 Important

- **Three Children Not Within Sight and Sound for Approx. 4 Minutes. Ratio During the Time Frame Was 3:0 Resulting in Program Being Out of Ratio.**

Child/staff ratios and supervision

Aug 7, 2025 3 Findings ● 3 Important

- **At Time of Complaint, Caregiver Reported That She Was Struggling to Stay Awake While Caring for Child.**

All children shall be under the direct supervision of a responsible caregiver at

- **At Time of Complaint, Both Caregivers Did Not Respect the Individual Toddlers Schedule Regarding Eating and Sleeping.**

Caregivers shall: respect the individual child's schedule with regard to eating,

- **Licensing Requested Video Footage for Complaint on 8/1/25. At Time of Complaint Visit on 8/7/25, Complaint Footage Was Not Accessible to Licensing.**

If applicable, the center shall have the following records available for review:

Jun 19, 2025 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.

● **Toilet in Toddler Restroom Is Broken, Black Mold Present in Basin. Toddler Restroom Must Have Working Toilet.**

A toilet must be in a room with a door that opens directly into the toddler room

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.