

St. John's Early Literacy Preschool and Childcare Ministry

310 East 53rd Street
Anderson, IN

2 Inspection Visits Since 2024 · 4 Findings

Most recent inspection: Feb 20, 2025

● 4 Important

Across 2 inspections since 2024, the issues cited most often were A Provider Shall: Ensure That All Employees and Volunteers Follow the Child Discipline Policy (1), A Plunger Was Being Stored on the Floor Next to the Toilet in the Preschool 1 Room. (1), and A Ceiling Tile in the 3 Year Old Classroom Had Several Water Damage Spots on It. A Ceiling Tile in the Middle of the Cafeteria Had Water Damage Spots. (1). None of the 4 findings were critical.

Inspection Visits

Feb 20, 2025 1 Finding ● 1 Important

● **A Provider Shall: Ensure That All Employees and Volunteers Follow the Child Discipline Policy**

Apr 11, 2024 3 Findings ● 3 Important

● **A Ceiling Tile in the 3 Year Old Classroom Had Several Water Damage Spots on It. A Ceiling Tile in the Middle of the Cafeteria Had Water Damage Spots.**

All interior surfaces, equipment, materials, furnishings, and objects with which

● **A Plunger Was Being Stored on the Floor Next to the Toilet in the Preschool 1 Room.**

All restrooms shall be equipped with flush toilets and handwashing sinks and sha

● **Sanitation Standards**

Sanitation Standards

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.