

Just Kids Daycare 2

IN

1 Inspection Visit Since 2026 · 5 Findings

Most recent inspection: Feb 5, 2026

● 5 Important

Across 1 inspection since 2026, the issues cited most often were Only 1 Fire Extinguisher Present. Missing Fire Ectinguisher in Kitchen and Naproom (2), Caregiver Did Not Santize Table Before Snack (1), and No Documenation Available for Quartly Fire Drills (1). None of the 5 findings were critical.

Inspection Visits

Feb 5, 2026 5 Findings ● 5 Important

● **Children's Hands Were Not Washed Before Snack**

Child care providers shall see that childrens hands are washed at a sink with so

● **Caregiver Did Not Santize Table Before Snack**

Direct child care providers shall wash and sanitize all food preparation areas,

● **No Documenation Available for Quartly Fire Drills**

The caregiver shall conduct and document quarterly fire drills

● **Only 1 Fire Extinguisher Present. Missing Fire Ectinguisher in Kitchen and Naproom**

To qualify for a license to operate a class II child care home under this chapte

● **No Documentation Available for Monthly Fire Drills**

To qualify for a license to operate a class II child care home under this chapte

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.