

Michelle Copeland

IN

1 Inspection Visit Since 2026 · 3 Findings

Most recent inspection: Jan 23, 2026

● 3 Important

Across 1 inspection since 2026, the issues cited most often were Cleaning Products/chemicals, Air Freshner Plug in the Bathroom Under the Sink and in the Outlet Within Reach of Children. (1), No Physical on File for T.C. (1), and No Drug Screen on File for T.C. (1). None of the 3 findings were critical.

Inspection Visits

Jan 23, 2026 3 Findings ● 3 Important

● **No Drug Screen on File for T.C.**

A child care home shall, at no expense to the state, maintain and make available

● **Cleaning Products/chemicals, Air Freshner Plug in the Bathroom Under the Sink and in the Outlet Within Reach of Children.**

Caregiver shall keep poisonous or hazardous materials that would harm children,

● **No Physical on File for T.C.**

Direct child care providers who work in the home more than three (3) times a mon

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.