

Belles & Beaus Playhouse

IN

3 Inspection Visits Since 2023 · 5 Findings

Most recent inspection: Jul 25, 2025

● 5 Important

Across 3 inspections since 2023, the issues cited most often were Child Care Provider with Expired CPR/First Aid. (2), Four Children's Files Missing Physicals. (1), and Several Outlets Missing Coverings. (1). None of the 5 findings were critical.

Inspection Visits

Jul 25, 2025 1 Finding ● 1 Important

● **Four Children's Files Missing Physicals.**

Within thirty (30) days of a child's admission, the licensee shall receive a writ

Aug 1, 2024 1 Finding ● 1 Important

● **Child Care Provider with Expired CPR/First Aid.**

The licensee shall maintain the following documentation in the child care home f

Jul 11, 2023 3 Findings ● 3 Important

● **Several Outlets Missing Coverings.**

Direct child care providers shall keep protective coverings over exposed electri

● **TB Test Is Not Current**

The caregiver shall maintain and make available verification of the following: A

● **Universal Precautions Expired**

The licensee shall maintain the following documentation in the child care home f

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.