

Little Blessings Daycare

1220 N. Section Street
Sullivan, IN

2 Inspection Visits Since 2025 · 3 Findings

Most recent inspection: May 16, 2025

● 3 Important

Across 2 inspections since 2025, the issues cited most often were Wooden Playground Structure Has a Large Opening That Is a Fall Hazard. Pea Gravel Not Meeting the Correct Depth Needed for Fall Zones. (1), 1 Staff Member Is Missing Documentation of First Aid Training. (1), and 2 Staff Members Are Missing Documentation of Universal Precautions. (1). None of the 3 findings were critical.

Inspection Visits

May 16, 2025 1 Finding ● 1 Important

- **Wooden Playground Structure Has a Large Opening That Is a Fall Hazard. Pea Gravel Not Meeting the Correct Depth Needed for Fall Zones.**

All interior surfaces, equipment, materials, furnishings, and objects with which

Feb 26, 2025 2 Findings ● 2 Important

- **1 Staff Member Is Missing Documentation of First Aid Training.**

An individual who: is employed as a caregiver at a child care ministry shall mai

- **2 Staff Members Are Missing Documentation of Universal Precautions.**

Direct child care providers, including volunteers, shall receive training in the

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.