

Victory Academy Preschool

3737 North Raceway Road
Indianapolis, IN

2 Inspection Visits Since 2024 - 5 Findings

Most recent inspection: Aug 15, 2024

● 5 Important

Across 2 inspections since 2024, the issues cited most often were Each Childcare Provider Shall Have Documentation of a Drug Test and Result Does Not Show Presence of Illegal Controlled substance(s).(Standard 5 or 8 Panel Urine Test) (2), Each Child Care Provider, Household Member, Employee, Volunteer Caregiver Shall Have an Intradermal Tuberculosis Test & Results Prior to Giving Care. (1), and At Time of Visit, Open Electrical Closet Contained Gardening Tools- Cutting Shears, Pitch Fork. Twos Classroom- Contained Stacked Chairs While Children Present Which Is a Tipping Hazard. Sound System in Sanctuary Unlocked Containing Multiple Electrical Cords, Powerstrips and Hand-sanitizer. Open Door (1). None of the 5 findings were critical.

Inspection Visits

Aug 15, 2024 3 Findings ● 3 Important

● **Each Child Care Provider, Household Member, Employee, Volunteer Caregiver Shall Have an Intradermal Tuberculosis Test & Results Prior to Giving Care.**

A provider shall have annual intradermal tuberculosis test and result. If medic

● **Each Childcare Provider Shall Have Documentation of a Drug Test and Result Does Not Show Presence of Illegal Controlled substance(s).(Standard 5 or 8 Panel Urine Test)**

Each childcare provider shall have documentation of a Drug test and result does

● **Each Childcare Provider Shall Have Documentation of a Drug Test and Result Does Not Show Presence of Illegal Controlled substance(s).(Standard 5 or 8 Panel Urine Test) and a Child Care Provider Shall Have: Written Policy Requiring Random Drug Testing of Caregivers**

Each childcare provider shall have documentation of a Drug test and result does

Jul 16, 2024 2 Findings ● 2 Important

● **At Time of Visit, Open Electrical Closet Contained Gardening Tools- Cutting Shears, Pitch Fork. Twos Classroom- Contained Stacked Chairs While Children Present Which Is a Tipping Hazard. Sound System in Sanctuary Unlocked Containing Multiple Electrical Cords, Powerstrips and Handsanitizer. Open Door**

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.

- **At Time of Visit, Consultant Observed Gallon of Milk That Had Been Previously Used Exit the Kitchen and Be Transported to Classrooms.**

Discarding or reconditioning of unsafe, misbranded, adulterated or contaminated

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.