

Shalane West IN

1 Inspection Visit Since 2025 · 5 Findings

Most recent inspection: Jun 18, 2025

● 5 Important

Across 1 inspection since 2025, the issues cited most often were There Were 12 Children but Only One Qulifted Staff Member Present. (1), No Firedrill Doumentation Available. (1), and S. W. and C. B. Needs Current TB Tests or Applicant Can Appy for a Variance (1). None of the 5 findings were critical.

Inspection Visits

Jun 18, 2025 5 Findings ● 5 Important

● **3 Staff Members Present Have Not Had Fingerprints and No File on Site. They Are Not Qualified Staff**

An applicant must submit the necessary information, forms, or consents for the d

● **S. W. and C. B. Needs Current TB Tests or Applicant Can Appy for a Variance**

The caregiver shall maintain and make available verification of the following: A

● **S. W. and C. B. Needs Current Universial Precautions. S. W. Needs Curent CPR Training**

The licensee shall maintain the following documentation in the child care home f

● **There Were 12 Children but Only One Qulifted Staff Member Present.**

The maximum capacity in a Class I child care home shall be twelve (12) children

● **No Firedrill Doumentation Available.**

To qualify for a license to operate a class II child care home under this chapte

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.