

MOMS OPERATING IN MINISTRY

5681 Broadway
Merrillville, IN

1 Inspection Visit Since 2024 · 2 Findings

Most recent inspection: Oct 9, 2024

● 2 Important

Across 1 inspection since 2024, the issues cited most often were Diaper Pad Had a Fitted Sheet Material Over It. This Is Not Considered Sanitizable as It Would Have to Be Changed Between Each Child. (1) and A Provider That Cares for More Than Sixteen (16) Children at a Facility Where the Provider Operates a Child Care Program Shall Maintain a Ratio of Children to Caregivers in the Same Proportions as Specified in the Child to Staff Ratio Requirements. (1). None of the 2 findings were critical.

Inspection Visits

Oct 9, 2024 2 Findings ● 2 Important

- **A Provider That Cares for More Than Sixteen (16) Children at a Facility Where the Provider Operates a Child Care Program Shall Maintain a Ratio of Children to Caregivers in the Same Proportions as Specified in the Child to Staff Ratio Requirements.**
- **Diaper Pad Had a Fitted Sheet Material Over It. This Is Not Considered Sanitizable as It Would Have to Be Changed Between Each Child.**

Diapers. The diapering process shall be done on a table, in a clean and sanitary

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.