

# CAPE Place Head Start

301 Lincoln Avenue  
Evansville, IN

## 3 Inspection Visits Since 2023 - 5 Findings

Most recent inspection: Oct 2, 2025

● 5 Important

Across 3 inspections since 2023, the issues cited most often were Room 101 Has a Trampoline. Trampolines Are Defined as Unsafe Surface in CCDF Letter From 4-30-15. (1), Room 101 Has Three Outlets Without Covers. Room 204 Has One Outlet Not Covered by Cubbies. (1), and Room 202 Has Papertowls on the Children's Sink Counter in the Bathroom in Such a Way They Can Not Be Dispensed in a Sanitary Manner. The Hall Bathroom by the Office Has Papertowles on Top of the Papertowel Dispencer Not Allowing Them to Be Dispensed in a Sanitiary Manner. (1). None of the 5 findings were critical.

## Inspection Visits

**Oct 2, 2025** 1 Finding ● 1 Important

● **Room 101 Has a Trampoline. Trampolines Are Defined as Unsafe Surface in CCDF Letter From 4-30-15.**

The administrator or director is responsible for maintaining all interior and ex

**Nov 12, 2024** 3 Findings ● 3 Important

● **Room 202 Has Papertowls on the Children's Sink Counter in the Bathroom in Such a Way They Can Not Be Dispensed in a Sanitary Manner. The Hall Bathroom by the Office Has Papertowles on Top of the Papertowel Dispencer Not Allowing Them to Be Dispensed in a Sanitiary Manner.**

Bathrooms

● **The Caulk Between the Wall and Floor Behind the Toilets in the Bathroom in Room 102 Is Cracked.**

Building maintenance

● **Room 101 Has Three Outlets Without Covers. Room 204 Has One Outlet Not Covered by Cubbies.**

The center shall cover electrical outlets or otherwise make them shockproof in a

**Oct 3, 2023** 1 Finding ● 1 Important

### About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.

- **2 Staff Members Working with Children Have Expired Varification That Staff Is Free From Tuberculosis.**

Records, kept at the child care center, shall document the following for all cur

#### **About this report**

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.