

Evansville Rescue Misson

1400 Professional Blvd
Evansville, IN

2 Inspection Visits Since 2025 - 5 Findings

Most recent inspection: Sep 17, 2025

● 5 Important

Across 2 inspections since 2025, the issues cited most often were The Refrigerator in the Infant Room Does Not Have a Thermometer Available for Daily Monitoring. (2), Program Does Not Have a Contract for Vending with Evansville Rescue Mission (Mens). (2), and 2 Staff Members Are Missing Documentation of First Aid Training (1). None of the 5 findings were critical.

Inspection Visits

Sep 17, 2025 2 Findings ● 2 Important

- **The Refrigerator in the Infant Room Does Not Have a Thermometer Available for Daily Monitoring.**
Potentially hazardous food; hot and cold holding
- **The Refrigerator in the Infant Room Does Not Have a Thermometer Available for Daily Monitoring.**
Potentially hazardous food; hot and cold holding

Jun 11, 2025 3 Findings ● 3 Important

- **2 Staff Members Are Missing Documentation of First Aid Training**
An individual who: is employed as a caregiver at a child care ministry shall mai
- **Program Does Not Have a Contract for Vending with Evansville Rescue Mission (Mens).**
Time as a public health control
- **Program Does Not Have a Contract for Vending with Evansville Rescue Mission (Mens).**
Time as a public health control

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.