

Bright Beginnings Daycare / Preschool

1330 Franklin Street
Jasper, IN

4 Inspection Visits Since 2023 · 5 Findings

Most recent inspection: Mar 4, 2026

● 5 Important

Across 4 inspections since 2023, the issues cited most often were In the 2's Restroom Under Sink Was Lysol Cleaner and Glass Cleaner That State Keep Out of Reach of Children and They Were Within Reach Which Makes It Unsafe. (2), In the 1-3 Room Bathroom and in Both Bathrooms in Large/nap Room, Paper Towels Were Observed Sitting on Top of the Sink Counter. This Is Not Dispensed in a Sanitary Manner. (1), and No Posting of Procedure for Proper Sanitation of Diapering Table. (1). None of the 5 findings were critical.

Inspection Visits

Mar 4, 2026 1 Finding ● 1 Important

- In the 2's Restroom Under Sink Was Lysol Cleaner and Glass Cleaner That State Keep Out of Reach of Children and They Were Within Reach Which Makes It Unsafe.

All interior surfaces, equipment, materials, furnishings, and objects with which

Aug 22, 2024 1 Finding ● 1 Important

- In the 1-3 Room Bathroom and in Both Bathrooms in Large/nap Room, Paper Towels Were Observed Sitting on Top of the Sink Counter. This Is Not Dispensed in a Sanitary Manner.

All restrooms shall be equipped with flush toilets and handwashing sinks and sha

Jan 22, 2024 1 Finding ● 1 Important

- The 1-2 Year Old Bathroom Had a Soap Container Reading Keep Out of Reach of Children on Sink Counter.

All interior surfaces, equipment, materials, furnishings, and objects with which

Sep 7, 2023 2 Findings ● 2 Important

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.

- **No Posting of Procedure for Proper Sanitation of Diapering Table.**

Diapers. The diapering process shall be done on a table, in a clean and sanitary

- **Infant Room Freezer Thermometer Not Present.**

Refrigerator and Freezers. Enough conveniently located refrigeration facilities

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.