

DayStar Childcare

57 North Rural Street
Indianapolis, IN

3 Inspection Visits Since 2024 - 5 Findings

Most recent inspection: Nov 19, 2025

● 5 Important

Across 3 inspections since 2024, the issues cited most often were Sanitation Standards (1), Room 203 and Room 207 Bathroom Had Clothing and Pull Up Out in Plastic Containers Without Lids. All Items in the Bathroom Must Be Sanitizable. (1), and All Children in Care Are Supervised by a Caregiver. (1). None of the 5 findings were critical.

Inspection Visits

Nov 19, 2025 2 Findings ● 2 Important

● **Room 203 and Room 207 Bathroom Had Clothing and Pull Up Out in Plastic Containers Without Lids. All Items in the Bathroom Must Be Sanitizable.**

All restrooms shall be equipped with flush toilets and handwashing sinks and sha

● **Sanitation Standards**

Sanitation Standards

Jun 2, 2025 2 Findings ● 2 Important

● **A Provider That Cares for More Than Sixteen (16) Children at a Facility Where the Provider Operates a Child Care Program Shall Maintain a Ratio of Children to Caregivers in the Same Proportions as Specified in the Child to Staff Ratio Requirements.**

● **All Children in Care Are Supervised by a Caregiver.**

All children in care are supervised by a caregiver.

Nov 20, 2024 1 Finding ● 1 Important

● **Refrigerators in 3 Classrooms Not Maintaining a Temperature of 41 Degrees.**

Refrigerator and Freezers. Enough conveniently located refrigeration facilities

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.