

Li'l Rascals

10641 Thielen Street
St. John, IN

2 Inspection Visits Since 2023 · 5 Findings

Most recent inspection: Nov 4, 2024

● 5 Important

Across 2 inspections since 2023, the issues cited most often were In Large Classroom, the Group Size Was 28. Group Size Should Be Followed for the Youngest Child in the Classroom (In This Case, 3 Yr Old). Max Group Size Today Should Have Been 20. (1), The Sinks in the Children's Bathroom Are Not Properly Sealed to the Wall. (1), and Staff Member HD Does Not Have a Consent Form on File with the Division. (1). None of the 5 findings were critical.

Inspection Visits

Nov 4, 2024 1 Finding ● 1 Important

- In Large Classroom, the Group Size Was 28. Group Size Should Be Followed for the Youngest Child in the Classroom (In This Case, 3 Yr Old). Max Group Size Today Should Have Been 20.

Child grouping policies

Dec 19, 2023 4 Findings ● 4 Important

- The Sinks in the Children's Bathroom Are Not Properly Sealed to the Wall.

Bathrooms

- The Garbage Has Food Items in It and Does Not Have a Lid on It.

Garbage and refuse

- The Staff Restroom Door Is Open and Is in the Path of the Children Going to Their Restroom; Therefore the Following Items Are Accessible to Children, but State Keep Out of Reach of Children: Lime-a-way, Iron-out, and All Purpose Cleaner

Poisons, chemicals, and hazardous items

- Staff Member HD Does Not Have a Consent Form on File with the Division.

Records, kept at the child care center, shall document the following for all cur

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.