

Right Steps Wabash Landing

385 Brown Street
West Lafayette, IN

2 Inspection Visits Since 2023 - 5 Findings

Most recent inspection: Aug 9, 2024

● 5 Important

Across 2 inspections since 2023, the issues cited most often were One Staff Was Missing a Current Physical and Universal Precautions in Their File. (1), In the Older Preschool Room, the Carpet Is Frayed and Poses a Tripping Hazard. (1), and In the Young Toddler Room There Was Not a Thermometer in the Class Refrigerator. (1). None of the 5 findings were critical.

Inspection Visits

Aug 9, 2024 3 Findings ● 3 Important

● **In the Older Preschool Room, the Carpet Is Frayed and Poses a Tripping Hazard.**

Building maintenance

● **One Staff Was Missing a Current Physical and Universal Precautions in Their File.**

Staff orientation

● **In the Young Toddler Room There Was Not a Thermometer in the Class Refrigerator.**

The center shall place an accurate, easily readable thermometer in each compartm

Aug 7, 2023 2 Findings ● 2 Important

● **In the Toddler's Classroom, Two Pushing Toys Were Found in the Bathroom.**

Bathrooms

● **In the 2's Classroom, a Lesson Plan Was Not Found.**

Written program plans

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.