

Hillside Childcare and Learning

1815 S Miller Street
Shelbyville, IN

2 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: May 7, 2025

● 5 Important

Across 2 inspections since 2024, the issues cited most often were Strip Kit Not Present During Visit. (2), Brown Changing Table: Changing Pad Has 2 Rips in It Which Is Unsanitary. (1), and Bathroom: Men's Bathroom Has Toilet Paper and Paper Towels Sitting on the Counter and Not in the Dispenser. No Toilet Paper in the Dispenser. No Paper Towels in the Dispenser. (1). None of the 5 findings were critical.

Inspection Visits

May 7, 2025 1 Finding ● 1 Important

- **Brown Changing Table: Changing Pad Has 2 Rips in It Which Is Unsanitary.**
Diapers. The diapering process shall be done on a table, in a clean and sanitary

Oct 17, 2024 4 Findings ● 4 Important

- **Bathroom: Men's Bathroom Has Toilet Paper and Paper Towels Sitting on the Counter and Not in the Dispenser. No Toilet Paper in the Dispenser. No Paper Towels in the Dispenser.**
All restrooms shall be equipped with flush toilets and handwashing sinks and sha
- **Kitchen: Fridge and Freezer Are Both Missing Thermometers Inside Them.**
Refrigerator and Freezers. Enough conveniently located refrigeration facilities
- **Strip Kit Not Present During Visit.**
Sanitizers; criteria
- **Strip Kit Not Present During Visit.**
Sanitizers; criteria

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.