

Learning Littles Playschool

IN

1 Inspection Visit Since 2024 · 2 Findings

Most recent inspection: Mar 11, 2024

● 2 Important

Across 1 inspection since 2024, the issues cited most often were The Provider Had Bleach and Other Chemicals Under the Kitchen Sink, There Was Magnet Lock but Not a Key Lock. The Magnet Lock Is a Deterrant Only. (1) and The Provider Had a Household Member That Did Not Have a Consent Completed. (1). None of the 2 findings were critical.

Inspection Visits

Mar 11, 2024 2 Findings ● 2 Important

- **The Provider Had Bleach and Other Chemicals Under the Kitchen Sink, There Was Magnet Lock but Not a Key Lock. The Magnet Lock Is a Deterrant Only.**

Caregiver shall keep poisonous or hazardous materials that would harm children,

- **The Provider Had a Household Member That Did Not Have a Consent Completed.**

The licensee shall maintain the following documentation in the child care home f

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.