

Kidscape Learning Center

7050 West Washington Street
Indianapolis, IN

2 Inspection Visits Since 2024 - 5 Findings

Most recent inspection: Jun 24, 2025

● 5 Important

Across 2 inspections since 2024, the issues cited most often were At the Time of Inspection a Child in the Two's Room Did Not Wash Their Hands After Their Diaper Was Changed. (1), At the Time of Inspection the Caregiver in the Two's Room Did Not Wash Their Hands After Changing a Diaper. (1), and Hazardous Items and Items Labeled Keep Out of Reach of Children Were Found Accessible in the Following Areas: In the Toddler Room There Was a Container of Vaseline in a Cabinet Under the Changing Table Behind a Child Deterrent. In the Infant Room There Was a Teacher's Purse in a Low Cabinet Behind A (1). None of the 5 findings were critical.

Inspection Visits

Jun 24, 2025 4 Findings ● 4 Important

● **At the Time of Inspection the Toddler Bathroom Did Not Have Toilet Paper.**

Bathrooms

● **Hazardous Items and Items Labeled Keep Out of Reach of Children Were Found Accessible in the Following Areas: In the Toddler Room There Was a Container of Vaseline in a Cabinet Under the Changing Table Behind a Child Deterrent. In the Infant Room There Was a Teacher's Purse in a Low Cabinet Behind A**

Poisons, chemicals, and hazardous items

● **At the Time of Inspection the Caregiver in the Two's Room Did Not Wash Their Hands After Changing a Diaper.**

Staff hygiene

● **At the Time of Inspection a Child in the Two's Room Did Not Wash Their Hands After Their Diaper Was Changed.**

The center schedule shall include provisions for supervised personal hygiene, wa

Apr 26, 2024 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.

- **The Infant Freezer Read 4 Degrees F at the Time of Inspection.**
Kitchen and food preparation areas

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.