

# Skyrise School of Castleton

8259 Clearvista Parkway  
Indianapolis, IN

## 1 Inspection Visit Since 2026 - 5 Findings

Most recent inspection: Jan 22, 2026

● 5 Important

Across 1 inspection since 2026, the issues cited most often were Infant Caregiver Missing Current Universal Precautions Training. Last Completed in 2023. (1), Items Labeled “Keep Out of Reach of Children” Accessible to Children: In School Age Room in an Unlocked Closet, and Cleaning Supplies and Gallons of Paint, Accessible to Children. In the Two’s Room Under the Unlocked Changing Table, 2 Tubes of Diaper Cream. In the Preschool Room: In Cabinet Drawer (1), and One Caregiver Missing Current Fingerprints. Last Date Completed Was 1/18/2023. (1). None of the 5 findings were critical.

## Inspection Visits

Jan 22, 2026 5 Findings ● 5 Important

● **In the School Age Room: Girls Bathroom, No Toilet Paper. Plunger Stored in Bathroom. Boys Bathroom: Toilet Brush and Toilet Plunger Stored in Bathroom. Preschool Room Bathroom: Toilet Paper Sitting on Top of Dispenser. Missing Floor Tile in Bathroom. Toddler Bathroom Used as Storage with Toys An Bathrooms**

● **Infant Caregiver Missing Current Child Abuse and Neglect Training. Last Completed in 2023.**  
During the first two (2) weeks of employment, all staff shall receive documented

● **Items Labeled “Keep Out of Reach of Children” Accessible to Children: In School Age Room in an Unlocked Closet, and Cleaning Supplies and Gallons of Paint, Accessible to Children. In the Two’s Room Under the Unlocked Changing Table, 2 Tubes of Diaper Cream. In the Preschool Room: In Cabinet Drawer**  
Poisons, chemicals, and hazardous items

● **Infant Caregiver Missing Current Universal Precautions Training. Last Completed in 2023.**  
Prior to having direct contact with children or food, the following training or

● **One Caregiver Missing Current Fingerprints. Last Date Completed Was 1/18/2023.**  
Subject to section 3.3 of this chapter, the applicant must, at no expense to the

### About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.