

Treasure Land Learning Center

IN

1 Inspection Visit Since 2026 - 5 Findings

Most recent inspection: Feb 26, 2026

● 5 Important

Across 1 inspection since 2026, the issues cited most often were 2 Children Missing Immunization Records (2), Under Sink in the Kitchen Hazardous Materials Found, Cascade, Faboluso, Off, Window Cleaner. In Bathroom Shampoo, Conditioner, and Lotion Accessible to Children. (1), and White Fire Extinguisher in Kitchen Must Be an ABC Fire Extinguisher. (1). None of the 5 findings were critical.

Inspection Visits

Feb 26, 2026 5 Findings ● 5 Important

● **Under Sink in the Kitchen Hazardous Materials Found, Cascade, Faboluso, Off, Window Cleaner. In Bathroom Shampoo, Conditioner, and Lotion Accessible to Children.**

Caregiver shall keep poisonous or hazardous materials that would harm children,

● **No Pack N Play or Crib Provided for 11 Month Old to Sleep.**

Licensee shall provide a separate crib, portacrib, or playpen in which each infa

● **White Fire Extinguisher in Kitchen Must Be an ABC Fire Extinguisher.**

Licensee shall provide a two and one-half (2) pound or greater ABC multiple purp

● **2 Children Missing Immunization Records**

Within thirty (30) days of a childs admission, the licensee shall receive a writ

● **2 Children Are Missing Physical Forms**

Within thirty (30) days of a childs admission, the licensee shall receive a writ

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.