

Wyneken Extended Childcare

11565 North U.S. Highway 27
Decatur, IN

3 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Feb 25, 2026

● 5 Important

Across 3 inspections since 2025, the issues cited most often were Room A108 Had Bengay in an Unlocked Drawer and Germ-X Advanced Hand Sanitizer on Top of Desk, Accessible to Children. (2), Staff Serving Lunch to Children Were Not Wearing Aprons or Hair Restraints. (1), and Bathroom in Infant Room Had a Dustpan Stored. Preschool/Pre-K Room Had Paper Towel Roll Stored on Sink. (1). None of the 5 findings were critical.

Inspection Visits

Feb 25, 2026 2 Findings ● 2 Important

- **Room A108 Had Bengay in an Unlocked Drawer and Germ-X Advanced Hand Sanitizer on Top of Desk, Accessible to Children.**

All interior surfaces, equipment, materials, furnishings, and objects with which

- **Staff Serving Lunch to Children Were Not Wearing Aprons or Hair Restraints.**

Hygiene. A sink used exclusively for handwashing shall be located in the kitchen

Aug 21, 2025 1 Finding ● 1 Important

- **Items Labeled 'Keep Out of Reach of Children' Were Accessible as Follows: -Cubby Area Had Several Bottles of Sunscreen; -Janitor Closet Was Unlocked and Contained Bleach, Paint, Scrubbing Bubbles, Lysol Wipes, Lysol Spray, Dawn Dish Soap, Minwax Wood Finish, WD-40, Glass Cleaner, Etc.**

All interior surfaces, equipment, materials, furnishings, and objects with which

Feb 5, 2025 2 Findings ● 2 Important

- **Bathroom in Infant Room Had a Dustpan Stored. Preschool/Pre-K Room Had Paper Towel Roll Stored on Sink.**

All restrooms shall be equipped with flush toilets and handwashing sinks and sha

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.

● **Diapering Table in One-year Old Room Does Not Have Two Feet of Sanitizable Floor Surface Surrounding It.**

Diapers. The diapering process shall be done on a table, in a clean and sanitary

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.