

# MAMIE DAYCARE

IN

## 2 Inspection Visits Since 2023 · 2 Findings

Most recent inspection: May 22, 2024

● 2 Important

Across 2 inspections since 2023, the issues cited most often were The Provider Had a Fan in the Resting Room That Was Accessible to the Children The Provider Removed the Fan During the Inspection. There Was a Door Frame That Was a Nail That Is Protected but the Wood Plank Need to Be Put Back in Place. (1) and The Provider Did Not Have a Current Consent. (1). None of the 2 findings were critical.

## Inspection Visits

**May 22, 2024** 1 Finding ● 1 Important

- **The Provider Had a Fan in the Resting Room That Was Accessible to the Children The Provider Removed the Fan During the Inspection. There Was a Door Frame That Was a Nail That Is Protected but the Wood Plank Need to Be Put Back in Place.**

If fans or heaters are used, licensee shall provide models that are protected by

**Aug 21, 2023** 1 Finding ● 1 Important

- **The Provider Did Not Have a Current Consent.**

The licensee shall maintain the following documentation in the child care home f

### About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.