

Appletree Right Steps

1102 E Grace St
Rensselaer, IN

2 Inspection Visits Since 2025 · 3 Findings

Most recent inspection: Apr 21, 2025

● 3 Important

Across 2 inspections since 2025, the issues cited most often were Infant Left Inside During Fire Drill Putting the Child at a 1:0 Ratio Instead of the 4:1 Allowed. (2) and 2 Staff Do Not Have Drug Screen Test Results Available. One Staff Does Not Have a Physical on File. (1). None of the 3 findings were critical.

Inspection Visits

Apr 21, 2025 1 Finding ● 1 Important

- **2 Staff Do Not Have Drug Screen Test Results Available. One Staff Does Not Have a Physical on File.**
Staff, substitutes, and volunteer records

Jan 29, 2025 2 Findings ● 2 Important

- **Infant Left Inside During Fire Drill Putting the Child at a 1:0 Ratio Instead of the 4:1 Allowed.**
Child/staff ratios and supervision
- **Infant Left Inside Unsupervised During a Fire Drill.**
Child/staff ratios and supervision

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.