

Abacus Childcare Center

8420 Township Line Road
Indianapolis, IN

2 Inspection Visits Since 2024 - 5 Findings

Most recent inspection: Oct 1, 2025

● 5 Important

Across 2 inspections since 2024, the issues cited most often were In the Lion Room in a Cubbie, the Second One From the Left End Top Row Was Stored Two Cans of Lysol Spray That State "Keep Out of Reach of Children". The Children in That Room Could Reach Those Items and They Need Moved to Be Inaccessible to Children. (2), In the Freezer in Kitchen Pancakes, Chicken Patties, Muffins Were in Clear Bags with No Label of What Item Was or Date of When Opened. In Addition, Chicken Nuggets Were in Original Bag and Had Been Open but No Date on When Opened. All Items Need Dated When Open and if Not in Original Package Needs (2), and The School Age Classroom Had Three Outlets That Did Not Have Covers Over the Outlets. (1). None of the 5 findings were critical.

Inspection Visits

Oct 1, 2025 3 Findings ● 3 Important

- **In the Freezer in Kitchen Pancakes, Chicken Patties, Muffins Were in Clear Bags with No Label of What Item Was or Date of When Opened. In Addition, Chicken Nuggets Were in Original Bag and Had Been Open but No Date on When Opened. All Items Need Dated When Open and if Not in Original Package Needs**

Food labels

- **In the Freezer in Kitchen Pancakes, Chicken Patties, Muffins Were in Clear Bags with No Label of What Item Was or Date of When Opened. In Addition, Chicken Nuggets Were in Original Bag and Had Been Open but No Date on When Opened. All Items Need Dated When Open and if Not in Original Package Needs**

Food labels

- **In the Lion Room in a Cubbie, the Second One From the Left End Top Row Was Stored Two Cans of Lysol Spray That State "Keep Out of Reach of Children". The Children in That Room Could Reach Those Items and They Need Moved to Be Inaccessible to Children.**

The center must store cleaning equipment, cleaning agents, aerosol cans, and any

Oct 28, 2024 2 Findings ● 2 Important

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.

- **The School Age Classroom Had Three Outlets That Did Not Have Covers Over the Outlets.**

Electrical safety

- **In the Camels Classroom in a Cabint Was a Sanitizing Spary That States Keep Out of Reach of Children That Was Within Reach of Children. In the Monkeys Room on the Sink Was Sanitizing Spray That States Keep Out of Reach of Children and Was Within Reach.**

The center must store cleaning equipment, cleaning agents, aerosol cans, and any

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.