

TENDERHEART CHILD CARE/PRESCHOOL

IN

1 Inspection Visit Since 2026 · 5 Findings

Most recent inspection: Mar 11, 2026

● 5 Important

Across 1 inspection since 2026, the issues cited most often were Hazards Located in the Kitchen and in the Playground Area. (1), 3 Staff Missing Annual UP Training. (1), and Room Where Children Rest Is Too Dark to See the Rise and Fall of Their Chest. (1). None of the 5 findings were critical.

Inspection Visits

Mar 11, 2026 5 Findings ● 5 Important

● **3 Staff Need Up to Date CPR Training.**

At least one (1) direct child care provider shall be trained in pediatric cardio

● **Room Where Children Rest Is Too Dark to See the Rise and Fall of Their Chest.**

Children shall not be left unattended and shall be supervised at all times

● **8 Fire Extinguishers in the Home Last Checked 2/2025.**

Licensee shall provide a two and one-half (2) pound or greater ABC multiple purp

● **Hazards Located in the Kitchen and in the Playground Area.**

The licensee shall ensure that no conditions exist in the home or on the grounds

● **3 Staff Missing Annual UP Training.**

The licensee shall maintain the following documentation in the child care home f

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.