

All 4 Kids - Batesville

114 S.R. 46
Batesville, IN

2 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Apr 8, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were No Qualified Director on Site (1), No File on Site/accessible for an Employee Present During the Time of Inspection (N). No Trainings, CPR Certification, Universal Precautions or Drug Screen Results Were Able to Be Verified. (1), and At the Time of Inspection, There Was a Staff Member in the Infant Room Alone (DK), Covering for a Break, with No Current Background Checks on File. (1). None of the 5 findings were critical.

Inspection Visits

Apr 8, 2026 4 Findings ● 4 Important

- **At the Time of Inspection, There Was a Staff Member in the Infant Room Alone (DK), Covering for a Break, with No Current Background Checks on File.**

Child/staff ratios and supervision

- **No Qualified Director on Site**

Director qualifications

- **Laundry Room Was Unlocked That Contained Keep Out of Reach Items (Electrical, Paint, Ice Melt).**

Poisons, chemicals, and hazardous items

- **No File on Site/accessible for an Employee Present During the Time of Inspection (N). No Trainings, CPR Certification, Universal Precautions or Drug Screen Results Were Able to Be Verified.**

Staff orientation

Sep 10, 2025 1 Finding ● 1 Important

- **There Is No Current Certified Food Handler Onsite to Prepare Meals.**

Kitchen and food preparation areas

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.