

LaSonia Cable

IN

2 Inspection Visits Since 2024 - 5 Findings

Most recent inspection: Jul 23, 2025

● 5 Important

Across 2 inspections since 2024, the issues cited most often were Items Labeled Keep Out of Reach of Kids Were Accessible on a Bathroom Shelf. (1), Current CPR Training Is Needed for the Licensee and One Caregiver. (1), and One Kid Did Not Have Current Immunization Records in the File. (1). None of the 5 findings were critical.

Inspection Visits

Jul 23, 2025 2 Findings ● 2 Important

● **Items Labeled Keep Out of Reach of Kids Were Accessible on a Bathroom Shelf.**

Caregiver shall keep poisonous or hazardous materials that would harm children,

● **Current CPR Training Is Needed for the Licensee and One Caregiver.**

The licensee shall maintain the following documentation in the child care home f

Aug 15, 2024 3 Findings ● 3 Important

● **One Household Member Fingerprints Expired on 6/26/2024.**

An applicant must submit the necessary information, forms, or consents for the d

● **The Licensee, One Caregiver, and One Household Members TB Test Were Over One Year Old.**

The caregiver shall maintain and make available verification of the following: A

● **One Kid Did Not Have Current Immunization Records in the File.**

Within thirty (30) days of a childs admission, the licensee shall receive a writ

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.