

Kindergate of Evansville

623 Gum Street
Evansville, IN

2 Inspection Visits Since 2025 - 5 Findings

Most recent inspection: Apr 15, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were Thermometer Missing in Refrigerator in Kitchen and Referigerator in Room 5. (1), Rocking Chair Surface Is Not Sanitizable in Room 5. (1), and Wood Chips Missing Under Green Spinner on Playground. (1). None of the 5 findings were critical.

Inspection Visits

Apr 15, 2026 4 Findings ● 4 Important

- **Cabinet Doors Hanging in Room 9 and 10. Water Damage on Windowsill in Room 2 and 3. Water Damage Around Smoke Alarm and 6 Ceiling Tiles in Hallway. Holes in Drywall Behind Rocker in Room 9.**

The administrator or director is responsible for maintaining all interior and ex

- **Rocking Chair Surface Is Not Sanitizable in Room 5.**

The center shall equip each toddler room with the following furnishings: At leas

- **Thermometer Missing in Refrigerator in Kitchen and Referigerator in Room 5.**

The center shall place an accurate, easily readable thermometer in each compartm

- **Wood Chips Missing Under Green Spinner on Playground.**

The specific guidelines of the most current, Handbook for Public Playground Safe

Apr 1, 2025 1 Finding ● 1 Important

- **Room 1's Girls and Boys Bathrooms Are Being Used as Storage. Items Including an Easel, Chairs, Puzzles, Rolls of Newspaper Paper.**

All items in the restroom must be sanitizable

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.