

St. Mark's Preschool

2300 Washington Avenue
Evansville, IN

2 Inspection Visits Since 2025 - 5 Findings

Most recent inspection: Dec 18, 2025

● 5 Important

Across 2 inspections since 2025, the issues cited most often were The Refrigerator on the Right Reads 46 Degrees F. (2), 3 Staff Members Have Expired Universal Precatutions Traning on File. (1), and THE Hummingbird Room Has a Roll of Paper Towel That Is on Top of the Shelf Outside of the Bathroom Not Being Dispensed in a Sanitary Manner. (1). None of the 5 findings were critical.

Inspection Visits

Dec 18, 2025 2 Findings ● 2 Important

- **The Refrigerator on the Right Reads 46 Degrees F.**
Refrigerator and Freezers. Enough conveniently located refrigeration facilities
- **The Freezer Therometer Reads 35 Degrees F.**
Refrigerator and Freezers. Enough conveniently located refrigeration facilities

May 8, 2025 3 Findings ● 3 Important

- **The Yellowbird Bathroom Has a Trashcan with Pull- Ups That Does Not Have a Lid.**
All interior surfaces, equipment, materials, furnishings, and objects with which
- **The Hummingbird Room Has a Roll of Paper Towel That Is on Top of the Shelf Outside of the Bathroom Not Being Dispensed in a Sanitary Manner.**
All restrooms shall be equipped with flush toilets and handwashing sinks and sha
- **3 Staff Members Have Expired Universal Precatutions Traning on File.**
Direct child care providers, including volunteers, shall receive training in the

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.