

## Early Childhood Alliance

2125 Beacon St  
Ft Wayne, IN

### 3 Inspection Visits Since 2025 - 5 Findings

Most recent inspection: Feb 12, 2026

● 5 Important

Across 3 inspections since 2025, the issues cited most often were On 1/6/2026 at 11:40am Staff Member Megan Kilander Refused to Give a 4-year Old Female Child Seconds of Lunch and Removed Her Entire Plate and Cup of Milk Because the Child Was 'Playing' in Her Applesause. (1), Director Self-reported That on 9/8/2025 a Two Year Old Male Child Was Unsupervised for 60-90 Seconds. (1), and Snack Items in Rooms 3, 4, 5, 6, 7, 8, 9, 10 Were Not Labeled with Date Opened. (1). None of the 5 findings were critical.

### Inspection Visits

**Feb 12, 2026** 1 Finding ● 1 Important

- **On 1/6/2026 at 11:40am Staff Member Megan Kilander Refused to Give a 4-year Old Female Child Seconds of Lunch and Removed Her Entire Plate and Cup of Milk Because the Child Was 'Playing' in Her Applesause.**

Staff shall not associate disciplinary action with food or use food as a reward

**Oct 2, 2025** 1 Finding ● 1 Important

- **Director Self-reported That on 9/8/2025 a Two Year Old Male Child Was Unsupervised for 60-90 Seconds.**

All children shall be under the direct supervision of a responsible caregiver at

**Jun 3, 2025** 3 Findings ● 3 Important

- **Snack Items in Rooms 3, 4, 5, 6, 7, 8, 9, 10 Were Not Labeled with Date Opened.**

The center shall operate the kitchen, all food preparation areas, and all food s

- **At Time of Visit, No Phones in Program Had Posting of Name of Program, Fire Department, Police Department, Ambulance, Nearest Hospital, Poison Control, County Child Protective Services, and Child Care Information Line.**

The center shall post a list of emergency telephone numbers by all telephones

#### About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.

- **Rooms 1, 2, 4, and 5 Did Not Have Two (2) Feet of Sanitizable Surface Surrounding the Diapering Tables. Several Diapering Tables Had Carpeted Steps Which Are Not Sanitizable.**

The floor covering in infant and toddler rooms shall meet the following standard

#### **About this report**

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.