

Canisha Taylor

IN

1 Inspection Visit Since 2024 - 2 Findings

Most recent inspection: Apr 18, 2024

● 2 Important

Across 1 inspection since 2024, the issues cited most often were The Provider Had a Mop Bucket and Mop in the Kithcnen That Still Had Standing Water in It. The Mop Bucket Was Removed and Water Emptied During the Inspection. (1) and The Provider Hd Moth Balls Under the Kitchen Sink That Was Not Secured and States Keep Out of the Reach of Children. They Were Removed During the Inspection. (1). None of the 2 findings were critical.

Inspection Visits

Apr 18, 2024 2 Findings ● 2 Important

- **The Provider Hd Moth Balls Under the Kitchen Sink That Was Not Secured and States Keep Out of the Reach of Children. They Were Removed During the Inspection.**
Caregiver shall keep poisonous or hazardous materials that would harm children,
- **The Provider Had a Mop Bucket and Mop in the Kithcnen That Still Had Standing Water in It. The Mop Bucket Was Removed and Water Emptied During the Inspection.**
Caregiver shall store implements and tools, including, but not limited to: power

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.