

Tu Escuelita Bilingual Preschool

IN

1 Inspection Visit Since 2025 - 5 Findings

Most recent inspection: May 8, 2025

● 5 Important

Across 1 inspection since 2025, the issues cited most often were Water Temperature at Children's Hand Washing Sink Was 124 Degrees F; Children Not Strapped in High Chairs (1), Hand Soap Label "Keep Out of the Reach of Children" Accessible in Bathroom (1), and Diaper Changing Mat Not Being Sanitized with Bleach/water Solution (1). None of the 5 findings were critical.

Inspection Visits

May 8, 2025 5 Findings ● 5 Important

● **Hand Soap Label "Keep Out of the Reach of Children" Accessible in Bathroom**

Caregiver shall keep poisonous or hazardous materials that would harm children,

● **Ratio in Child Care Home Was 11 Children and 1 Staff Member with Children Present Under 3 Years of Age**

The following child to staff ratios apply: Type of Home Child:Staff Ratio Infant

● **Water Temperature at Children's Hand Washing Sink Was 124 Degrees F; Children Not Strapped in High Chairs**

The licensee shall ensure that no conditions exist in the home or on the grounds

● **Universal Precautions Not Taken Annually**

The licensee shall maintain the following documentation in the child care home f

● **Diaper Changing Mat Not Being Sanitized with Bleach/water Solution**

The licensee shall provide an area for diaper changing with a washable surface o

About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.