

## New Life Child Care

2145 East Columbia Street  
Evansville, IN

### 3 Inspection Visits Since 2025 - 5 Findings

Most recent inspection: Feb 18, 2026

● 5 Important

Across 3 inspections since 2025, the issues cited most often were On 1-5-26 One Infant Was Only Fed 2 of Their Labeled Bottles. 3 Bottles Were Recorded in Brightwheel for Parents. (1), On 2 Seperate Occasions Prior to 8-10-25 2 Infants Are Pictured in Bouncy Seats Next to a Staff Member Asleep. On One of the Occasions They Were Covered with Blankets and a Bottle Was Propped on the Blanket. At Time of Visit One Boy Infant Age 8 Months in Room 3 Is Asleep in the Bouncy Seat. (1), and On 9-24-25 a One Year Old Child Had a Bolt From a Bike in Thier Hand Posing a Potential Choking Hazard and Being Unsafe. (1). None of the 5 findings were critical.

### Inspection Visits

**Feb 18, 2026** 1 Finding ● 1 Important

● **On 1-5-26 One Infant Was Only Fed 2 of Their Labeled Bottles. 3 Bottles Were Recorded in Brightwheel for Parents.**

immersion for at least one (1) minute in clean water which is at a temperature o

**Oct 29, 2025** 1 Finding ● 1 Important

● **On 2 Seperate Occasions Prior to 8-10-25 2 Infants Are Pictured in Bouncy Seats Next to a Staff Member Asleep. On One of the Occasions They Were Covered with Blankets and a Bottle Was Propped on the Blanket. At Time of Visit One Boy Infant Age 8 Months in Room 3 Is Asleep in the Bouncy Seat.**

The operator of a child care ministry that cares for children who are less than

**Oct 3, 2025** 3 Findings ● 3 Important

● **On 9-24-25 a One Year Old Child Had a Bolt From a Bike in Thier Hand Posing a Potential Choking Hazard and Being Unsafe.**

All interior surfaces, equipment, materials, furnishings, and objects with which

#### About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.

- **Room 201 and the Pre-Tod 2 Room Have Papertowels Sitting on the Sink Not Being Dispensed in a Sanitary Manner.**

All restrooms shall be equipped with flush toilets and handwashing sinks and sha

- **The Frige Theromometer in the Kitchen Reads 46 Degrees F.**

Refrigerator and Freezers. Enough conveniently located refrigeration facilities

#### About this report

Childery generates this report from public inspection records published by the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Indiana Family and Social Services Administration, Office of Early Childhood and Out-of-School Learning.