

Lakeside Head Start

155 Lakeside School Rd.
Sandy Hook, KY

2 Inspection Visits Since 2023 · 9 Findings

Most recent inspection: Sep 4, 2025

● 9 Important

Across 2 inspections since 2023, the issues cited most often were 922 KAR 2:120. Section 4. Premises Requirements.

(1) The Premises Shall Be:

- (a) Suitable for the Purpose Intended;
- (b) Kept Clean and in Good repair;

Findings:

General: Based on Observation, Two (2) Pieces of Baseboard in the Block Area of the Classroom Were Damaged. (1), 922 KAR 2:120. Section 4. Premises Requirements.

(9) Floors, Walls, and Ceilings Shall Be Smooth, in Good Repair, and Constructed to Be Easily cleaned.

Findings:

General: Based on Observation and Interview, a Piece of Flooring Was Cracked and Had Been Taped Over in Zone A. The Staff in Charge Indicated a Work Order Had Already Been submitted to Rectify the Issue. (1), and 922 KAR 2:120. Section 13. Toys and Furnishings.

(2) Indoor and Outdoor Equipment Shall:

- (a) Be Clean, Safe, and in Good Repair;
- (b) Meet the Physical, Developmental Needs, and Interests of Children of Different Age Groups;
- (c) Be Free From Sharp Points or Corners, Splinters, Protruding Nails or Bolts, Loose or Rusty Parts, Hazardous Small Parts, Lead-based Paint, poisonous Material, and Flaking or Chalking Paint; And
- (d) Be Designed to Guard Against Entrapment or Situations That May Cause Stran (1). None of the 9 findings were critical.

Inspection Visits

Sep 4, 2025 4 Findings ● 4 Important

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

- **922 KAR 2:090. Section 9. Records.**
 - (1) A Child-care Center Shall Maintain:**
 - (b) A Written Record for Each child:**
 - 1. Completed and Signed by the Child's parent;**
 - 2. Retained on File on the First Day the Child Attends the Child-care Center; and**
 - 3. To Contain:**
 - a. Identifying Information About the Child, Which Includes, at a Minimum, the Child's Name, Address, and Date of Birth;**
 - b. Contact Information to Enable a Person in Charge to Contact the Child's:**
 - (i) Parent at the Parent's Home or Place of Empl**

1250 - Enrollment Information

- **922 KAR 2:120. Section 4. Premises Requirements.**
 - (1) The Premises Shall Be:**
 - (a) Suitable for the Purpose Intended;**
 - (b) Kept Clean and in Good repair;**
 - Findings:**

General: Based on Observation, Two (2) Pieces of Baseboard in the Block Area of the Classroom Were Damaged.

585 - Premises Requirements

- **922 KAR 2:120. Section 4. Premises Requirements.**
 - (9) Floors, Walls, and Ceilings Shall Be Smooth, in Good Repair, and Constructed to Be Easily cleaned.**
 - Findings:**

General: Based on Observation and Interview, a Piece of Flooring Was Cracked and Had Been Taped Over in Zone A. The Staff in Charge Indicated a Work Order Had Already Been submitted to Rectify the Issue.

625 - Floors, Walls, Ceilings

- **922 KAR 2:120. Section 13. Toys and Furnishings.**
 - (2) Indoor and Outdoor Equipment Shall:**
 - (a) Be Clean, Safe, and in Good Repair;**
 - (b) Meet the Physical, Developmental Needs, and Interests of Children of Different Age Groups;**
 - (c) Be Free From Sharp Points or Corners, Splinters, Protruding Nails or Bolts, Loose or Rusty Parts, Hazardous Small Parts, Lead-based Paint, poisonous Material, and Flaking or Chalking Paint; And**
 - (d) Be Designed to Guard Against Entrapment or Situations That May Cause Stran**

865 - Indoor/Outdoor Equipment

Sep 11, 2023 5 Findings ● 5 Important

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

● **922 KAR 2:120. Section 3. General Requirements.**

(11) While Bottle Feeding a Child, The:

(a) Child Shall Be Held; And

(b) Bottle or Beverage Container Shall Not be:

- 1. Propped;**
- 2. Left in the Mouth of a Sleeping Child; or**
- 3. Heated in a microwave.**

Findings:

General: Based on Observation, a Child Had a Cup on a Cot During Nap Time. A Cot Is Not an Appropriate Furnishing for a Child to Have a cup.

Meal Planning/Center Provides Meals Not In Compliance

1070 - Bottle Feeding

● **922 KAR 2:120. Section 10. Meal Planning Requirements for a Center That Provides Meals.**

(9) A Weekly Menu Shall Be:

(a) Prepared;

(b) Dated;

(c) Posted in Advance in a Conspicuous Place;

(d) Kept on File for Thirty (30) Days; And

(e) Amended in Writing with Any Substitutions on the Day the Meal Is served.

Findings:

General: Based on Observation, There Was Not a Current Menu Made Available at the Time of Inspection. The Menu Posted Was for August.

Meal Planning/Center Does Not Provide Meals In Co

1220 - Menu

● **922 KAR 2:090. Section 8. General.**

(4) Program Policies and Procedures Shall:

(a) Be in Writing; And

(b) Include:

- 1. Staff policies;**
- 2. Job descriptions;**
- 3. An Organization chart;**
- 4. Chain of Command; and**
- 5. Other Procedures Necessary to Ensure Implementation Of:**
 - a. KRS 199.898, Rights for Children in Child-care Programs and Their Parents, Custodians, or Guardians - Posting and Distribution Requirements;**
 - b. 922 KAR 2:120, Child-care Center Health and Safety Standards;**
 - c. 922 KAR 2:280, Backgroun**

1265 - Policies and Procedures

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

● **922 KAR 2:120. Section 3. General Requirements.**

(12) A Fire Drill Shall Be:

- (a) Conducted During Hours of Operation at Least Monthly; And**
- (b) Documented.**

(13) An Earthquake Drill, Shelter-in-place or Lockdown Drill, and Tornado Drill Shall Be:

- (a) Conducted During Hours of Operation at Least Quarterly; And**
- (b) Documented.**

Findings:

General: Based on Review of Documentation, the Center Failed to Conduct/document a Fire Drill in April and May of 2023.

Posted Documentation In Compliance

Animals In

1305 - Monthly Fire, Quarterly Earthquake/Shelter-in-place/Tornado Drills

● **922 KAR 2:090. Section 8. General.**

(2) Child-care Center Staff Shall Be:

- (a) Instructed by the Child-care Center's Director Regarding Requirements for Operation; And**
- (b) Provided with a Copy of This Administrative Regulation, 922 KAR 2:120, and 922 KAR 2:280.**

Findings:

General: Based on Review of Documentation, the Center Did Not Have a Current Copy of the Regulations on File at the Time of inspection.

Employee Records In Compliance

Programming In Compliance

Premises In Compliance

Hygienic Pract

335 - Operation instruction/Regulation copy

About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.