

## Kid Town

511 E Main Street  
Warsaw, KY

### 3 Inspection Visits Since 2023 - 7 Findings

Most recent inspection: Jun 30, 2025

● 7 Important

Across 3 inspections since 2023, the issues cited most often were 922 KAR 2:090. Section 8. General.

(1) A Licensee Shall:

(a) Be Responsible for the Operation of the Child-care Center Pursuant to This Administrative Regulation, 922 KAR 2:120, and 922 KAR 2:280; And

(b) Protect and Ensure the Health, Safety, and Comfort of Each child.

Findings:

General: Based on Observation, in the Toddler 1 Room There Was a Stack of Green Child-sized Chairs That Posed a Safety Hazard for the Children in Care. (1), 922 KAR 2:120. Section 12. Toilet, Diapering, and Toiletry Requirements.

(3) A Sink Shall Be:

(a) Located in or Immediately Adjacent to Toilet Rooms;

(b) Equipped with Hot and Cold Running Water That Allows for Hand Washing;

(c) Equipped with Hot Water at a Minimum Temperature of Ninety (90) Degrees Fahrenheit and a Maximum of 120 Degrees Fahrenheit;

(d) Equipped with Liquid Soap;

(e) Equipped with Hand-drying Blower or Single Use Disposable Hand Drying Material;

(f) Equipped with an Easily Clea (1), and 922 KAR 2:120. Section 4. Premises Requirements.

(24) Fences Shall Be:

(a) Constructed of Safe Material;

(b) Stable; And

(c) In Good condition.

Findings:

General: Based on Observation, the Fence on the Playground Was Not All the Way Down to the Ground in Several Places, Creating a Gap That a Child Could Get Under. The Playground fence Is Next to the Parking Lot and Street. (1). None of the 7 findings were critical.

### Inspection Visits

**Jun 30, 2025** 3 Findings ● 3 Important

#### About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

● **922 KAR 2:090. Section 8. General.**

**(1) A Licensee Shall:**

**(a) Be Responsible for the Operation of the Child-care Center Pursuant to This Administrative Regulation, 922 KAR 2:120, and 922 KAR 2:280; And**

**(b) Protect and Ensure the Health, Safety, and Comfort of Each child.**

**Findings:**

**General: Based on Observation, in the Toddler 1 Room There Was a Stack of Green Child-sized Chairs That Posed a Safety Hazard for the Children in Care.**

225 - Licensee Responsibility

● **922 KAR 2:120. Section 12. Toilet, Diapering, and Toiletry Requirements.**

**(3) A Sink Shall Be:**

**(a) Located in or Immediately Adjacent to Toilet Rooms;**

**(b) Equipped with Hot and Cold Running Water That Allows for Hand Washing;**

**(c) Equipped with Hot Water at a Minimum Temperature of Ninety (90) Degrees Fahrenheit and a Maximum of 120 Degrees Fahrenheit;**

**(d) Equipped with Liquid Soap;**

**(e) Equipped with Hand-drying Blower or Single Use Disposable Hand Drying Material;**

**(f) Equipped with an Easily Clea**

690 - Sink

● **922 KAR 2:120. Section 4. Premises Requirements.**

**(24) Fences Shall Be:**

**(a) Constructed of Safe Material;**

**(b) Stable; And**

**(c) In Good condition.**

**Findings:**

**General: Based on Observation, the Fence on the Playground Was Not All the Way Down to the Ground in Several Places, Creating a Gap That a Child Could Get Under. The Playground fence Is Next to the Parking Lot and Street.**

805 - Fence Construction

**Jun 3, 2024** 3 Findings ● 3 Important

**About this report**

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

● **922 KAR 2:090. Section 9. Records.**

**(1) A Child-care Center Shall Maintain:**

**(f) A Written Annual Plan for Child-care Staff Professional development;**

**Findings:**

**General: Based on Review of Documentation, Four (4) Staff (DOH 03/10/20, 01/25/19, 10/13/22, and 06/14/19) Did Not Have Current Signed Professional Development plan.**

**Posted Documentation In Compliance**

**Animals Not Applicable**

**Signature of Provider/Representative Title Date**

**An Equal Opportunity Employer M/F/D**

**@chfsky**

1280 - Professional Development

CHFS.KY.GOV Page 2 of 2

● **922 KAR 2:120. Section 4. Premises Requirements.**

**(1) The Premises Shall Be:**

**(a) Suitable for the Purpose Intended;**

**(b) Kept Clean and in Good repair;**

**Findings:**

**General: Based on Observation, the Following Was found:**

**Preschool**

**1) Two Lights Were Not working.**

**2) Air Conditioning Vent Covered in dust.**

**1–2-Year-Old Classroom**

**1) Bathroom Door Is Splintered and Needs Patched and Painted.**

585 - Premises Requirements

● **922 KAR 2:120. Section 4. Premises Requirements.**

**(9) Floors, Walls, and Ceilings Shall Be Smooth, in Good Repair, and Constructed to Be Easily cleaned.**

**Findings:**

**General: Based on Observation, the Following Was found:**

**Infant**

**1) Wall(s) Needed Sanded and painted.**

**Hygienic Practices In Compliance**

**An Equal Opportunity Employer M/F/D**

**@chfsky**

625 - Floors, Walls, Ceilings

CHFS.KY.GOV

**Dec 13, 2023** 1 Finding ● 1 Important

**About this report**

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.

- **922 KAR 2:120. Section 8. Kitchen Requirements.**

**(4) A Cold-storage Facility Used for Storage of Perishable Food in a Nonfrozen State Shall:**

**(a) Have an Indicating Thermometer or Other Appropriate Temperature Measuring Device;**

**(b) Be in a Safe Environment for Preservation; And**

**(c) Be Forty (40) Degrees Fahrenheit or below.**

**Findings:**

**General: Based on Observation, the Toddler 2 Room Contained a Small Refrigerator That Was Used to Store Juice and Milk. The Refrigerator Did Not Have a Thermometer; T**

1040 - Refrigerator

### About this report

Childery generates this report from public inspection records published by the Kentucky Cabinet for Health and Family Services, Division of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Kentucky Cabinet for Health and Family Services, Division of Child Care.